



IMPORTANT CUSTOMER INFORMATION

Bashlin has supplied quality equipment to Linemen for 90 years. You may be able to find products for less, but you will not buy any other Lineman's Equipment that works or wears better than Bashlin's right priced quality products produced in our single plant in Grove City, PA.

Linework is dangerous. Properly using these products and appropriate training are keys to your safety. To aid in product understanding, as well as proper use of these items, the following information boxes and product application symbols are located with the product write-ups. Please read and understand this information, as well as the material included with and attached to product BEFORE using these items. If there are questions, please contact us via the various methods listed at the bottom of the page.



FALL ARREST

More than 2', but not more than 6' free fall. (Full body harness)



POSITIONING

Maximum 2' free fall. (Positioning belts, Line belts)



SUSPENSION

Raising, lowering, and work positioning. (Boatswain chairs)



RETRIEVAL

For rescue from enclosed confined spaces. (Full body harness)



NOT A SAFETY BELT

Not to be considered personal protective equipment.

MANUFACTURER'S WARRANTY

The Manufacturer warrants equipment manufactured by it to be free from defects in material and workmanship under normal use and service, its obligation under this warranty being limited to replacing at its factory any part or parts which shall, within 30 days after delivery of such equipment to the original purchaser, be returned to it and which its examination shall disclose to its satisfaction to have been thus defective; this warranty being expressly in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on its part.

THE INFORMATION IN THIS CATALOG IS TO THE BEST OF OUR KNOWLEDGE CORRECT AT THE TIME OF PRINTING. WE RESERVE THE RIGHT TO MAKE IMPROVEMENTS AND CHANGES AS NECESSARY TO OUR PRODUCTS WITHOUT NOTICE.

WARRANTED AND ALL OTHER REPAIR WORK MUST BE DONE BY BASHLIN FACTORY PERSONNEL USING BASHLIN COMPONENTS.

TERMS AND CONDITIONS

(See website list for complete terms and conditions.)

Pricing - Prices are subject to change without notice. The cost of Bashlin products is as low as is consistent with quality merchandise. We encourage comparison. For current pricing you can visit our website www.bashlin.com.

Payment - Open account terms are available once credit has been established. Bashlin accepts all major credit cards and cash advance orders. On cash advance orders, overpayment of less than \$2.00 cannot be refunded.

Shipping - All freight terms are F.O.B. shipping point unless otherwise stated.

Contested Shipments - Any shipping or handling claims must be reported within 14 days of shipment. Claims not reported in this time period will not be allowed.

Returned Goods - Returns must be authorized prior to shipment to our warehouse. There is a handling charge on all returned goods.



119 West Pine Street, P.O. Box 867
Grove City, PA 16127
Phone: 724.458.8340 Fax: 724.458.8342
bashlin@bashlin.com

TABLE OF CONTENTS

Tool Belts

p. 3 - 6

Fall Restraint, Lanyards, Straps

p. 17 - 19

Gloves

p. 23 - 24

Hand Tools

p. 20 - 22

Belt Accessories

p. 9 - 10

Bug Bags & Holsters


p. 7 - 8

Tool Bags and Back Packs
Rodeo Goods & New Stuff

p. 25 - 28

Climbers, Pads, Parts

p. 11 - 16







“Superior products require vision and skilled hands”

–W.M. Bashlin, 1926

With that sentiment, WM Bashlin launched the business that still bears his name some 90 years later. Bashlin was started during a period of great optimism in the United States, but the concept of designing products that provided comfort for the worker was rare. Mr. Bashlin recognized this fact, and sought to make products that actually provided comfort for the lineman. He reasoned that a more comfortable product reduced the mental stress on the worker, allowing him to be safer and more productive. His thought was expanded with further writings that began..

“Lineman are neither horses nor mules....”

He recognized that a man is not a beast of burden and should not be treated as such. Linework has always been difficult and carried great risk. Mr. Bashlin believed that the Lineman's tools and equipment should not only allow him to complete the task at hand-but should also be the most comfortable and highest quality possible.

The core concepts and values that have guided Bashlin since the early 20th Century remain. We are honored to be able to continue the tradition of offering the best, highest quality equipment to today's professional lineman.

As the tools and methods used in this industry continue to evolve, we look forward to continuing to provide the professional lineman comfortable, innovative products. These products will be made in the USA by individuals that are skilled in their craft and backed with some 90 years of experience serving this industry.


Thank you.



CORRECTLY SIZED
TOOL BELT



USING A TAPE MEASURE



SIZING TOOL BELTS

Bashlin belts are sized using the measurement between the 2 D-Rings on the main portion of the belt (A).

2 D-Ring and 4 D-Ring belts are sized identically.

Measure for summer clothing. If the belt is the correct size, there will be ample adjustment for the relatively limited time it will be used in the colder weather.

If a belt is sized correctly, the hip D-Rings will point straight ahead, and the tongue adjustment will be in the center hole (B).

TO FIND YOUR "D" SIZE USING A TAPE MEASURE

1. Locate the point where the heel of the hip D-Ring should rest (C).
2. Begin to measure from this point. Measure with a seamstress tape around the buttocks to the same point on the opposite side (D).

OR

USE BASHLIN'S LINEMAN'S SIZING BELT (LSB) (E)

Estimate the correct size of your belt and adjust the LSB to the size you believe your belt should be.

Place the LSB on your hips at the location where your tool belt is worn (F).

By trial and error, change the length of the LSB until the belt is the correct length, and note the adjusted size of the belt (G).

STOCK AND SPECIAL BELTS

Bashlin stocks right handed belts, in sizes D-18 to D-28 of the most popular belts. Larger belts, up to D-32, may be ordered. There is an additional cost for sizes D-29 to D-32. Belts and holsters with left hand design are available at no additional cost. Add "LH" to the part number.

MADE TO ORDER BELTS: All "Made to Order" belts are manufactured outside of standard production. Once the order is placed, it cannot be cancelled. Please allow additional shipping time for all made to order belts.

BELT ADJUSTMENT IN INCHES - PER ASTM F887				
D Size - In.	Minimum	Center Hole	Maximum	Tool Loops
D18	32	36	40	3
D19	33	37	41	3
D20	34	38	42	3
D21	36	40	44	4
D22	37	41	45	4
D23	38	42	46	4
D24	40	44	48	4
D25	41	45	49	4
D26	42	46	50	4
D27	44	48	52	4
D28	45	49	53	4

1926



Promising "Comfort, Quality and Safety" for the professional lineman, WM Bashlin Company begins operations.

1926



Bashlin produces the first Semi-Floating Tool Belt, the #64.

4 D-RING TOOL BELTS

EZRIDER



- Like working in a "Rocking Chair".
- Saddle design relieves hip and leg pressure.
- 4 D-rings work great with all the fall protection devices.
- Worn slightly higher than a standard tool belt.

No. 88UX4DMP Nylon Mesh Cushion

Ship Wt. 6.5 lb.

No. 88UX4DCC Leather Cushion

Ship Wt. 7 lb.



88UX4DMP

EZRIDER LITE



- Lightweight.
- Available with or without lower "D" Rings.
- Nylon or leather cushion

No. 1515PX EZ-Lite - Nylon Cushion

Ship Wt. 4.5 lb.

No. 1515PXCC EZ-Lite - Leather Cushion

Ship Wt. 4.7 lb.

No. 1515PX4D EZ-Lite with D Rings (Universal)

Ship Wt. 4.6 lb.

No. 1515PX4DCC EZ-Lite with D Rings

Leather Cushion

Ship Wt. 4.8 lb.



1515PX



1515PX4D



WARNING



Never carry wire tools, or anything other than the "positioning" strap in the D-rings of a tool belt. Foreign objects carried in the D-rings may cause the snap to malfunction, and accidental disengagement to occur.

FLORIDIAN 4D



- The traditional Bashlin Floridian design-with a spot for your secondary lanyard.
- Shifting primary and secondary D-saddles in line.
- A very comfortable belt with durable quality.

No. 884D Floridian 4D

Ship Wt. 5 lb.

No. 88X4D Floridian 4D - Black

Ship Wt. 5 lb.



884D

HIP GRIP 4D



- Pliable and removable 1 3/4" upper tongue
- In-Line fully floating D-rings
- Contour back for additional comfort

No. 88BIX4DCC Hip Grip 4D

Ship Wt. 9.0 lb.



88BIX4DCC



WARNING



All Bashlin's tool belts are to be worn snug as possible with the main "D" Rings and billet on or above the hips. Wearing the belts improperly may cause accidents or death.



4 D-RING TOOL BELTS



Labrador

- 7" wide for support.
- Made in nylon mesh or soft leather cushion.
- 3 different design choices for different needs.



Q88GX4DMP



88GX4DCC



88MX4DMP



88BSX4DCC

LABRADOR "AMIGO"



- The comfort of an old friend.
- Easy donning quick release buckle.
- Easy to adjust nylon webbing.
- Available with moisture wicking nylon or soft leather cushion.

No. Q88GX4DMP Nylon Mesh Cushion

Ship Wt. 5.5 lb.

No. Q88GX4DCC Leather Cushion

Ship Wt. 6 lb.

LABRADOR "YUKON"



- Rugged design to take you to the top.
- Dependable double tongue design.
- Leather faced nylon billet.
- Available with moisture wicking nylon or soft leather cushion.

No. 88GX4DMP Nylon Mesh Cushion

Ship Wt. 6 lb.

No. 88GX4DCC Leather Cushion

Ship Wt. 6.5 lb.

LABRADOR "LIBERTY"



- The freedom of a single tongue.
- Full floating D-Saddle.
- Durable 7" back.
- Available with moisture wicking nylon or soft leather cushion.

No. 88MX4DMP Nylon Mesh Cushion

Ship Wt. 5 lb.

No. 88MX4DCC Leather Cushion

Ship Wt. 5.5 lb.

REST-A-BACK 4D



- Fully padded belt with a 10" back support
- Stacked D-rings are fixed for easier connections
- Comfortable and durable materials

No. 88BSX4DCC Rest-A-Back 4D

Ship Wt. 9.0 lb.



WARNING



All Bashlin's tool belts are to be worn snug as possible with the main "D" Rings and billet on or above the hips. Wearing the belts improperly may cause accidents or death.

1935



The 101-L Tool belt features a "Full Floating" design sold for \$8.50.

1935



Bashlin begins climber manufacturing with the Bashlin Duplex "BD-8" climber selling for \$5.75.

2 D-RING TOOL BELTS

THE FLORIDIAN



- The Industry Standard for over 50 years.
- The original laced belt.
- Flared cushion for easier climbing.

No. 88

Tool Belt

Ship Wt: 6.5 lb.

No. 88X

Tool Belt (Black)

Ship Wt: 6.5 lb.



88

THE DAKOTA



- 6 ply nylon billet.
- Soft split leather cushion section-comfortable out of the box.
- Economical quality.

No. 76

Tool Belt

Ship Wt: 5.25 lb.



76

THE WRANGLER



- Fixed D-Rings and shifting billet.
- Neoprene Nylon back and tongue.
- Lightweight.

No. 1511N

Tool Belt

Ship Wt: 5.25 lb.



1511N

REST-A-BACK



- The Original "back support" lineman's belt.
- Double adjustment straps for custom fit.
- Durable single piece back.

No. 88B

Rest-A-Back

Ship Wt: 8.5 lb.



88B

HIP GRIP



- Proven design.
- Fully adjustable-floating waist belt.
- Superb English Bridle leather-lasts and lasts.

No. 88G

Hip-Grip

Ship Wt: 8.25 lb.



88G

HIP-GRIP SIZING CHART

Upper Tongue Adj.		Upper Tongue Adj.		Upper Tongue Adj.	
D18	33"-39"	D23 or 24	39"-45"	D27 or 28	43"-49"
D19 or 20	35"-41"	D25 or 26	41"-47"	D29 or 30	45"-51"
D21 or 22	37"-43"				

REST-A-BACK SIZING CHART

Upper Tongue Adj.		Upper Tongue Adj.		Upper Tongue Adj.	
D18	29"-36"	D23	34"-41"	D27	38"-45"
D19	30"-37"	D24	35"-42"	D28	39"-46"
D20	31"-38"	D25	36"-43"	D29	40"-47"
D21	32"-39"	D26	37"-44"	D30	41"-48"
D22	33"-40"				

1941



Due to WWII manufacturing restrictions, webbing is used for the manufacture of all belts and straps as to comply with Government Order M310 forbidding the use of leather.

1942



To aid the War effort, Bashlin encourages factory regaffing climbers for only \$1.90 a pair.



25A

25AM2



25BS



25KLBS



26DRM



25PLS



25PS



25R



26L



26G

BOLT AND NUT BAGS

Bashlin bolt and nut bags are the perfect accessory for your Bashlin belt. We utilize only top quality cotton duck, leather, and coated nylon materials. Most have reinforced bottoms and drain holes.

25A

Made of #8 cotton duck with a reinforced bottom. Belt attachment is by two straps joined by snaps and "D"s.

No. 25A 8 1/2" x 9" x 4"

Ship Wt: .7 lb.

25AM2

This bag adds a magnet for a convenient place to "stick" cotter keys, washers, or nuts.

No. 25AM2 8 1/2" x 9" x 4"

Ship Wt: 1.5 lb.

25BS

Our most economical bag. It is canvas with snap or thong attachment.

No. 25BS 8" x 9" x 2 1/2"

Ship Wt: .5 lb.

25KLBS

This "always open" durable leather bag attaches by snap or thongs.

No. 25KLBS 8" x 9" x 2 1/2"

Ship Wt: .8 lb.

26DRM

All leather pouch with tool holders inside.

No. 26DRM 9" x 9" x 2 1/2"

Ship Wt: .5 lb.

25PLS

An all leather bag with reinforced top. Snap or leather thong attachment.

No. 25PLS 8" x 9" x 3"

Ship Wt: .9 lb.

25PS

A wide opening canvas bag with leather bottom and snap attachment.

No. 25PS 8" x 8" x 2 1/2"

Ship Wt: .6 lb.

25R

A cotton duck bag with 1 inch straps and leather ties. The top is reinforced to stay open.

No. 25R 8" x 8 1/2" x 4"

Ship Wt: .5 lb.

26L

A very large, durable leather bag featuring a double top to stay open. Leather thong attachment.

No. 26L 9" x 9" x 2 1/2"

Ship Wt: .7 lb.

26G

A soft leather bag with snap closure and leather thongs.

No. 26G 8 1/2" x 9"

Ship Wt: .5 lb.

1945



Anticipating the end of WWII Bashlin produces Catalog #45 that notes "There is always a market for right priced quality goods".

1946



A catastrophic fire destroys all the production and warehouse space. Shipments to customers resumed within a week.

LINEMEN'S HOLSTERS

Bashlin manufactures only premium holsters for tool belts. They feature double harness leather backs reinforced for extra wear.

BROWN HOLSTERS

No. 111HS	For pliers, rule, screwdriver, and knife or wrench	Ship Wt: 1.00 lb.
No. 111HLS	For pliers, rule, screwdriver, Channellock, and knife or wrench	Ship Wt: 1.25 lb.
No. 111HLDS	For pliers, rule, screwdriver, Channellock, ratchet driver, and knife or wrench	Ship Wt: 1.50 lb.
No. 111HE	For pliers, rule, screwdriver, and knife	Ship Wt: 1.25 lb.
No. 111HLE	For pliers, screwdriver, Channellock, rule, and knife	Ship Wt: 1.50 lb.
No. 111BWH	For bell wrenches	Ship Wt: .6 lb.
No. 111LWH	For the Lowell wrench	Ship Wt: .6 lb.

Left handed holsters are available at no extra cost. (Add an "-LH" to the part number when ordering.)

BLACK HOLSTERS

These holsters are manufactured from the highest quality black leather.

No. 111HLSX	For pliers, rule, screwdriver, Channellock, and knife or wrench	Ship Wt: 1 lb.
No. 111HLDSX	For pliers, rule, screwdriver, Channellock, ratchet driver, and knife or wrench	Ship Wt: 1 lb.
No. 111HSX*	For pliers, rule, screwdriver, and knife or wrench	Ship Wt: 1 lb.
No. 111HEX*	For pliers, rule, screwdriver, and knife	Ship Wt: 1.25 lb.
No. 111HLEX*	For pliers, screwdriver, Channellock, rule and knife	Ship Wt: 1.5 lb.
No. 111LWHX*	For the Lowell Wrench	Ship Wt: .6 lb.

Tools not included. *Not shown.



111HS



111HLS



111HLDS



111HE



111HLE



111BWH



111LWH



111HLSX



111HLDSX





112HLS


GROUNDMAN HOLSTER ACCESSORIES - CARE

GROUNDMEN'S HOLSTER

Bashlin's single backed groundmen's holster is slotted for easy attachment. It features the same pliable pockets used on our linemen's holsters. Do not use these holsters on linemen's tool belts.

No. 112HLS For pliers, rule, screwdriver,
knife, Channellock or wrench
*Tools Not Included.

Ship Wt: 1.00 lb.



33



33L

HANDLINE CARRIER

The nylon handline carrier fits over the tongue-buckle section of the belt. It is designed to straighten and drop the rope if the handline becomes snagged. The 33L locks on the belt.

No. 33 Handline Carrier

Ship Wt: .1 lb.

No. 33L Handline Carrier with lock

Ship Wt: .1 lb.



31L



31R

TAPE SLINGS

These swivel bar tape slings will fit any size tape roll.

No. 31L Loop Type

Ship Wt: .1 lb.

No. 31R Rivet Type

Ship Wt: .1 lb.

LOOP-N-SNAP

These convenient extra snaps will fit 2" belts.

No. 32A Small snap for knives

Ship Wt: .2 lb.

No. 32AR Small snap with screw rivets

Ship Wt: .2 lb.

No. 32B Large snap for wrenches

Ship Wt: .3 lb.

No. 32BR Large snap with screw rivets

Ship Wt: .3 lb.



32A



32AR



32B



32BR

LEATHER MAINTENANCE PRODUCTS

Long life for your leather products begins with proper care. Use Saddle Soap to clean the dirt out of the leather, then coat your leather goods to protect them with "Neatsfoot" or Mink Oil.

No. 804 Saddle Soap

Ship Wt: .75 lb.

No. 806-8 Neatsfoot Oil (8 oz.)

Ship Wt: .50 lb.

No. 806-16 Neatsfoot Oil (16 oz.)

Ship Wt: 1.0 lb.

No. 806-32 Neatsfoot Oil (32 oz.)

Ship Wt: 2.0 lb.

No. 809 Mink Oil

Ship Wt: .30 lb.



806-32

806-16

804

806-8

809

1950



Alcoa notes the advantages of Climbing with Aluminum in a 1950 Newsletter.

1950



A Bashlin ad in Electric Light and Power notes "It's Bashlin When Men Think on the Job".

AUXILIARY POSITIONING SUPPORT BELTS

LABRADOR APB

- Easily convert your comfortable double D-ring belt to a 4 D-ring design.
- Quick release attachment straps.
- Fixed D-Rings for easy secondary lanyard connections.
- FR Arc resistant nylon fabric.

No. Q83H2D Labrador "Tucson";
Quick Release Belt

Ship Wt. 3 lb.

No. 83H2D Labrador "Sierra";
Billet Style Belt

Ship Wt. 3.2 lb.



Q83H2D



83H2D

LABRADOR "LOBO"

- Orthopedically correct Back-A-Line support belt.
- Fixed D-Rings for easy secondary lanyard connections.

No. 83BDH Back-A-Line Belt

Ship Wt. 3.4 lb.



83BDH

SIZING: Add 4"-6" to the waist measurement

Small 32"-40" Medium 36"-44" Large 40"-48" X-Large 42"-50"

BELT SUPPORTER STRAP

NOT A SAFETY BELT

- Distributes weight of belt and tools.
- Made from top quality russet leather.
- Four adjustable drop straps.



No. 81 Supporter Strap

Ship Wt. 1.5 lb.

No. 81-1 Leather Drop Strap Only

Ship Wt. 0.25 lb.



81

BACK AND BELT SUPPORT

NOT A SAFETY BELT

- Leather or Nylon billet style tongue.
- 7" wide leather pad.
- Non-rated drop straps and snaphooks.



No. 83 Leather Rest-A-Back

Ship Wt. 2.3 lb.

No. 83N Nylon Belt Leather Pad

Ship Wt. 2.3 lb.



83N



WARNING



Bashlin's Lineman's Belt Supporters are never to be used with a Lineman's belt to create a "saddle". The lineman's belt always must be worn snugly, on or above the hips. Incorrect use may cause accidents or death.



POLE CLIMBERS

BD14

- The original lightweight aluminum climber.
- Features replaceable gaffs.
- Weighs the same as comparable titanium climbers.
- Offset design gives great climbing qualities.

No. BD14-1N	Aluminum alloy with lower straps	Ship Wt: 3.5 lb.
No. BD14P-1N	For CCA Poles	Ship Wt: 3.5 lb.
No. BD14A-1N	Longer top slide (18"-21")	Ship Wt: 3.5 lb.

All Bashlin Climbers feature Bashlin's superior performing 17° gaff.

BD16B

- Durable steel alloy climber.
- Features replaceable gaffs.
- Extra ankle room for linemen who have trouble with rubbing in that area.
- Offset design gives great climbing qualities.

No. BD16B-1N	Steel alloy, straight shanks with lower straps	Ship Wt: 5 lb.
No. BD16BP-1N	For CCA poles	Ship Wt: 5 lb.
No. BD16BA-1N	Longer top slide (18"-21")	Ship Wt: 5 lb.

The standard top slide length has an adjustment of 15"-18".
There are longer top slides available, with an adjustment of 18"-21".

BD16BC

- Our most popular steel alloy climber.
- Features replaceable gaffs.
- Has a 3° twisted shank so the climber lays flat against the leg.
- Extra ankle room like the BD16B.

No. BD16BC-1N	Steel alloy, twisted shank with lower straps	Ship Wt: 5 lb.
No. BD16BCP-1N	For CCA Poles	Ship Wt: 5 lb.
No. BD16BCA-1N	Longer top slide (18"-21")	Ship Wt: 5 lb.

BASHLIN POLISHED GAFF ("P")

For poles with CCA and other treatments that tend to make the pole hard and brittle, we offer the Polished Gaff. The angle and shape remain the same, but the machine marks are removed for better pole penetration. Bashlin's Polished Gaffs can also be used on poles with standard treatments. For Polished Gaffs see page 14.



BD14



BD16B



BD16BC



POLISHED GAFF

1956



Bashlin presents the "Spur-Stay" Climber pads. Today they still offer superior climber control and comfort for linemen.

1957



To reduce injuries, and after a survey to choose the correct location, the hammer loop on all Bashlin tool belts is moved from the center to the right.

POLE CLIMBERS

BD12

- Lightweight, steel alloy climber.
- Features riveted non-replaceable gaffs.
- Excellent climbing characteristics.
- Offset design places gaff in proper position for easier penetration.

No. BD12-1N	Steel alloy with lower straps	Ship Wt: 5 lb.
No. BD12P-1N	For CCA Poles	Ship Wt: 5 lb.
No. BD12A-1N	Longer top slide (18"-21")	Ship Wt: 5 lb.

BD12C

- This steel alloy climber is an excellent value.
- Features a riveted non-replaceable gaff.
- Has a 3° twisted shank so the climbers lay flat against the leg.
- Offset design places gaff in proper position for easier penetration.

No. BD12C-1N	Steel alloy, twisted shank with lower straps	Ship Wt: 5 lb.
No. BD12CP-1N	For CCA poles	Ship Wt: 5 lb.
No. BD12CA-1N	Longer top slide (18"-21")	Ship Wt: 5 lb.

Gaff Guards and a Gaff Gauge are included with Bashlin Climbers.

BD12L

- Steel alloy climber.
- Features a riveted non-replaceable gaff.
- Has a narrower stirrup, it measures 3 3/4", the standard measurement is 4 3/4".
- Offset design places gaff in proper position for easier penetration.

No. BD12L-1N	Steel alloy, narrow stirrup with lower straps	Ship Wt: 5 lb.
No. BD12LP-1N	For CCA poles	Ship Wt: 5 lb.
No. BD12LA-1N	Longer top slide (18"-21")	Ship Wt: 5 lb.

HEEL GUARDS

- Wearing a pair of climbers exposes the lineman's ankle or achilles tendon to injury.
- Gaff guards offer some protection, but can't help on the pole.
- Bashlin heel guards protect this vulnerable area, while not restricting any movement.
- They are light, durable, and easily attach to any standard climber.

No. BHG-M	One size fits most heel guard	Ship Wt: .5 lb.
------------------	-------------------------------	-----------------



BHG-M





85N - 24"



86N - 28"



87N - 28"



89N - 28"



14TS



14ATS



16TS



16ATS



4G



4T

CLIMBER ACCESSORIES

CLIMBER STRAPS

- Constructed from durable, pliable, and comfortable neoprene nylon (N) or flexible "Bioplastic" coated webbing (NP).
- Double riveted and feature a protective buckle shield.

No. 85N	1 1/16"x24" climber straps	Ship Wt: .6 lb.
No. 85NP	1 1/16"x24" climber straps	Ship Wt: .6 lb.
No. 86N	1 1/16"x28" climber straps	Ship Wt: .6 lb.
No. 86NP	1 1/16"x28" climber straps	Ship Wt: .6 lb.
No. 87N	1 1/16"x28" two piece bottom straps	Ship Wt: .7 lb.
No. 87NP	1 1/16"x28" two piece bottom straps	Ship Wt: .7 lb.
No. 89N	1 1/16"x28" two piece split ring bottom straps	Ship Wt: .7 lb.
No. 89NP	1 1/16"x28" two piece split ring bottom straps	Ship Wt: .7 lb.

SLIDE ADJUSTORS (screws are included)

- Fits all Bashlin climbers.
- The standard adjustment is 15"-18".
- There are longer top slides available, with an adjustment of 18"-21".
- Order according to your climbers.

No. 14TS	For BD14, 15"-18" adjustment	Ship Wt: .6 lb.
No. 14ATS	For BD14, 18"-21" adjustment	Ship Wt: .85 lb.
No. 16TS	For BD16B, BD12, 15"-18" adjustment	Ship Wt: .6 lb.
No. 16ATS	For BD16B, BD12, 18"-21" adjustment	Ship Wt: .85 lb.

SCREWS

- Screws are small and easy to lose.
- Bashlin offers replacement screws for gaffs and top slides.

No. 4G	Gaff screws	Ship Wt: .05 lb.
No. 4T	Slide adjustor screws	Ship Wt: .05 lb.

1957

ENVY of the BLOCK

For the kids watching Roy Rogers and Hopalong Cassidy, Bashlin offers a Toy Cowboy Holster. A Lineman's belt for children is also produced.



1958



Bashlin's S-shaped D-rings offer a lineman comfort with reduced hip pressure from the belt, while the red center of nylon pole straps allows easier inspection and safety.

1959



New products include the 88B and 88G Back Support Tool Belts, and the BD16 replaceable gaff steel climber.

REPLACEMENT PARTS FOR BASHLIN CLIMBERS

REPLACEMENT GAFFS

- Fits the BD14 and BD16B climbers.
- The standard 14 gaff is 1 5/8" long.
- The 14P gaff is 1 5/8" and had the machine marks removed for easier penetration after use on hard poles.
- The 14T gaff is 2 1/2" long to penetrate thick bark.

No. 14	1 5/8" pole gaffs with screws	Ship Wt: .5 lb.
No. 14P	1 5/8" polished pole gaffs w/ screws	Ship Wt: .5 lb.
No. 14T	2 1/2" tree gaffs with screws	Ship Wt: .6 lb.

***Only Bashlin Replacement Gaffs may be used on Bashlin Climbers.**

GAFF SHAPING KIT

- Nice compact design.
- Contains all of the tools needed to properly care for the gaffs on your Bashlin climbers.
- Includes #5 gaff gauge, 6" mill file with wooden handle, sharpening stone, and instructions.
- For use with Bashlin pole gaffs only.

No. 27	Gaff shaping kit (complete)	Ship Wt: .55 lb.
---------------	-----------------------------	------------------

GAFF GAUGE

- For use with Bashlin pole climbers only.
- Used to maintain the correct shape, taper, and profile of your gaffs.
- Shaping instructions are included.

No. 5	Gaff gauge	Ship Wt: .2 lb.
--------------	------------	-----------------

GAFF GUARDS

- Helps keep the gaff sharp.
- Helps to protect the user from scratches and puncture wounds.
- Sold in pairs.

No. 2	Standard leather guard with hook-n-loop	Ship Wt: .2 lb.
No. B1972G	Snap on guard for replaceable gaffs	Ship Wt: .2 lb.
No. B1972F	Snap on guard for fixed gaffs	Ship Wt: .2 lb.





WANNA PLAY CANASTA? 1961

For \$30 in goods purchased, Bashlin customers received a coupon good for a deck of Bashlin playing cards.

1960



A set of Bashlin climbing equipment costs \$68.40. Due to customer feedback the hammer loop on a standard belt is moved to the left.

1961



For \$30 in goods purchased, Bashlin customers received a coupon good for a deck of Bashlin playing cards.



CLIMBER PADS

SPUR-STAY CLIMBER PADS

Developed by a local lineman over 40 years ago, Bashlin introduced the 105 series "Spur-Stay" climber pads with metal inserts for the lineman looking for comfort and shank control. Some of the original users were mocked for using these pads because comfort was not considered "manly". (This is when a climber pad was a single piece of leather measuring 3 inches by 3 inches.) The Spur-Stay design allows the climber to adjust the position of the shank, and eliminates "kick-back". It is available with straps or hook-n-loop closures.



145BCVW

145ACVW/145BCVW

Bashlin's newest pad combines the "hook-n-loop" closure with the broad surface area, sturdy leathers, and the soft felt padding of the 145 pad.

No. 145ACVW	For BD16B and BD12 Series Climbers	4.1 lb.
No. 145BCVW	For BD14 Climbers	4.1 lb.



145ACV

145ACV/145BCV

This "hook-n-loop" design has deep padding surrounding by soft, durable split leather. The "hook-n-loop" closure utilizes a cinch design for added security.

No. 145ACV	For BD16B and BD12 Series Climbers	3.5 lb.
No. 145BCV	For BD14 Climbers	3.5 lb.



145BC

145AC/145BC

Based on a design popular with foresters, this pad has top quality leathers, deep felt padding, the Spur Stay insert and nylon straps to secure it to the climber shank and the leg. (One pair of straps is included with the pads).

No. 145AC	For BD16B and BD12 Series Climbers	3.3 lb.
No. 145BC	For BD14 Climbers	3.3 lb.

105AC/105BC

This is the original "Spur-Stay" design. It is lightweight, yet provides comfort and total climber control.

No. 105AC	For BD16 and BD12 Series Climbers	1.5 lb.
No. 105BC	For BD14 Climbers	1.5 lb.



105BC

1962



Bashlin begins offering fall protection equipment designed for use in an aerial lift.

1966



Magnaflux inspection is conducted on all Bashlin Steel Climbers.

CLIMBER PADS

150V - HOOK AND LOOP PADS

- Constructed from woven nylon with a soft padding sewn inside.
- Hook-n-loop closure for extra security.
- Leather tunnel loop to keep the pad in place on the climber.
- Slight angle for an improved gaff position.

No. 150V Hook-n-loop with "T" design Ship Wt: 4 lb.



150V

140D SERIES

- Constructed from durable latigo leather.
- Wing design holds the shank securely, and at a slight angle for enhanced control.
- Climber shank fits inside the pad, to add comfort while reducing movement.
- The shank area is available with our without padding.

No. 140D Not padded Ship Wt: .8 lb.

No. 140DS Padded Ship Wt: 1.25 lb.



140DS

130D

- Bashlin's original "L" pad.
- Constructed from durable latigo leather.
- Light padding for comfort, while still keeping the pad lightweight.
- Allows shank movement for linemen that prefer less restriction.

No. 130D Padded Ship Wt: .7 lb.



130D

150T SERIES

- "T" pad constructed from durable latigo leather.
- Offers comfort and protection for the shin and calf.
- Leather lugs are securely riveted for long wear.
- Shank area is available with our without padding.

No. 150T Not padded Ship Wt: .8 lb.

No. 150TS Padded Ship Wt: .9 lb.



150TS



1984

WEAR BASHLIN

First women West
Penn trainees
in Kittanning, PA.

1968



EHV Barehand techniques are rapidly being developed, and Bashlin offers a fully conductive tool belt the 71NC to help reduce static charge on the lineman.

1970



A new production climber facility opens on West Main Street, while a new leather shop-still in use is finished on East Pine Street in Grove City.



76PAT

WWW.BASHLINPATRIOT.COM

FALL RESTRICTING BELTS

THE PATRIOT™

New and unique design that frees the lineman from the “Tyranny and Restriction” of other fall restraint products.

- Easy, natural movement up and down the pole.
- Light weight - over 20% lighter than other devices.
- Easy movement and light weight=less fatigue for the climber.
- Rope rollers allow freedom of movement left and right while working.
- Easily adapts for left and right handed climbers.

No. 76PAT 6" to 20" dia. poles

Ship Wt: 3 lb.

No. 76PAT-T 6" to 30" dia. poles

Ship Wt: 3.1 lb.

*The Patriot and Pole Lariat meet ASTM F887 Type A/B requirements. Including icy or slippery poles.



POLE LARIAT

The only Wood Pole Fall restraint that allows “Free climbing” techniques.

- Works great with 2 D-ring belts.
- 2 attachment options-D loops or the single point “Uniloop”.
- Lightest fall restraint available.

No. 77BCS (D-Loops) 6" to 25" dia. Poles

Ship Wt. 2.9 lb.

No. 77BCSA (Uniloop) 6" to 25" dia. Poles

Ship Wt. 2.9 lb.

JELCO POLE CHOKER

This is a time tested design that feels most like a pole strap.

- Great for hitch hiking.
- Rubber glove friendly.
- Works for left or right handed climbers.

Pole Choker 5

No. B03724 1.4 meter

6-14 inch Pole Diameter

Ship Wt. 4.2 lb.

No. B03725 1.6 meter

10-16 inch Pole Diameter

Ship Wt. 4.4 lb.

No. B03726 1.9 meter

11-20 inch Pole Diameter

Ship Wt. 4.6 lb.

No. B03727 2.1 meter

14-30 inch Pole Diameter

Ship Wt. 4.8 lb.

No. B13037*

Ice Grippers Pole Chokers

Ship Wt. .5 lb.

*Not shown



Pole Choker 5

1973



The US Congress creates OSHA, and Bashlin begins manufacturing equipment that complies with the standard. Leather belts without nylon reinforcement are discontinued.

1974



Bashlin's product offerings for aerial lift devices expands to include harnesses, tool boards and lights.

ADJUSTABLE POSITIONING LANYARDS

- Bashlin's Lanyards are for transitioning obstructions when climbing or descending a pole.
- They are available in multiple materials with many options.
- The twist lock aluminum carabiner is standard on the adjustor.

ADJUSTOR CHOICES

- 4016 Style-Standard or Straight Cam
- 4019 Style-90 degree twist Cam

ROPE CONSTRUCTION (ALL HAVE RED CORES FOR INSPECTION)

- Braided rope with PVC cover (NX) (A)
- Braided rope with Ballistic nylon/rope roller (NXBC) (B)
- Durable Yale Uniline (UX) (C)

SNAPHOOKS


- Standard steel (1)
- Steel swivel snaphook (SW) (2)
- Aluminum Alloy (AL) (3)

4016 LANYARDS - STANDARD ADJUSTOR

No. 4016NX-8	PVC Wear Cover	Ship Wt. 1.5 lb.
No. 4016NXBC-8	Ballistic Nylon Wear Cover	Ship Wt. 1.5 lb.
No. 4016UX-8	Uniline	Ship Wt. 1.5 lb.
No. 4016NX-8SW	PVC Cover/Swivel Snap	Ship Wt. 1.6 lb.
No. 4016NXBC-8SW	Ballistic Nylon/Swivel Snap	Ship Wt. 1.6 lb.
No. 4016UX-8SW	Uniline/Swivel Snap	Ship Wt. 1.6 lb.
No. 4016NX-8AL	PVC/Aluminum Hook	Ship Wt. 1.4 lb.
No. 4016NXBC-8AL	Ballistic/Aluminum Hook	Ship Wt. 1.4 lb.
No. 4016UX-8AL	Uniline/Aluminum Hook	Ship Wt. 1.4 lb.

4019 LANYARDS - 90° TWIST

No. 4019NX-8	PVC Wear Cover	Ship Wt. 1.5 lb.
No. 4019NXBC-8	Ballistic Nylon Wear Cover	Ship Wt. 1.5 lb.
No. 4019UX-8	Uniline	Ship Wt. 1.5 lb.
No. 4019NX-8SW	PVC Cover/Swivel Snap	Ship Wt. 1.6 lb.
No. 4019NXBC-8SW	Ballistic Nylon/Swivel Snap	Ship Wt. 1.6 lb.
No. 4019UX-8SW	Uniline/Swivel Snap	Ship Wt. 1.6 lb.
No. 4019NX-8AL	PVC/Aluminum Hook	Ship Wt. 1.4 lb.
No. 4019NXBC-8AL	Ballistic/Aluminum Hook	Ship Wt. 1.4 lb.
No. 4019UX-8AL	Uniline/Aluminum Hook	Ship Wt. 1.4 lb.



⚠ WARNING ⚠

Always visually confirm the snap is on the D-ring with the gate closed and locked before allowing the strap to support your body weight. Do not just listen for the "click".



50 SERIES



40NW SERIES

⚠ WARNING ⚠

Double action locking snaphooks reduce, but do not eliminate, the possibility of accidental disengagement. Caution and proper work methods including keeping the Snap/D ring area free from foreign objects must be practiced at all times. Disabling the gate locks may cause accidents, injury, or death.



78A-2HL



47N-15

⚠ WARNING ⚠

The 40 and 50 series straps have red wear indicators in the center to help determine when it is time to replace them.

POLE STRAPS

50 SERIES

The 6 ply 1 3/4" neoprene coated nylon material uses a tongue buckle adjustment, and has a red wear indicator.

Length	Part No.		Ship Wt:
5'6"	51N-2HL	Pole Strap	3.75 lb.
6'	52N-2HL	Pole Strap	3.75 lb.
6'6"	53N-2HL	Pole Strap	4 lb.
7'	54N-2HL	Pole Strap	4 lb.

40NW SERIES

The orange woven nylon is soft, pliable, and has a red wear indicator in the center. Adjustment is made with a forged steel friction adjuster.

Length	Part No.		Ship Wt:
5'6"	41NW-2HL	Pole Strap	3.5 lb.
6'	42NW-2HL	Pole Strap	3.5 lb.
6'6"	43NW-2HL	Pole Strap	4 lb.
7'	44NW-2HL	Pole Strap	4 lb.

78 SERIES

Bashlin's pliable latigo leather straps feature a nylon insert. The stitching is deeply imbedded in the leather for longer wear.

Length	Part No.		Ship Wt:
5'6"	78X-2HL	Pole Strap	4.25 lb.
6'	78A-2HL	Pole Strap	4.25 lb.
6'6"	78B-2HL	Pole Strap	4.5 lb.
7'	78C-2HL	Pole Strap	4.5 lb.

EXTENSION STRAPS

Bashlin's extension straps are made from 6 ply nylon and forged steel hardware. The available lengths are 15" and 18".

Length	Part No.		Ship Wt:
15"	47N-15	Extension Strap	1 lb.
18"	47N-18	Extension Strap	1 lb.

1983



Bashlin begins to mark Belts, Pole Straps and Climbers with a date of manufacture.

1984



West Penn Power conducts an apprentice class for 7 women. All are outfitted with Bashlin 88 belts and BD14 Climbers.

HAND TOOLS

RAUCKMAN'S BUG WRENCHES

RAUCKMAN
Utility Products

- See through port to confirm that the ends are separated.

No. BW221	3/8" - 9/16"	Ship Wt: .75 lb.
No. BW2212*	1/2" - 9/16"	Ship Wt: .75 lb.
No. BW223	Stamped metal, insulating handle, 9/16" and 3/4"	Ship Wt: .75 lb.
No. BW223HD	Heavy-duty, drop-forged, insulating handle, 9/16" and 3/4"	Ship Wt: .75 lb.
No. BW2237*	5/8" - 3/4"	Ship Wt: .75 lb.
No. BW224*	3/4" - 7/8"	Ship Wt: .75 lb.
No. BW244	Heavy-duty, 4-in1, drop-forged, insulating handle, reversing ratchet, 5/8" and 1/2" - 9/16" and 3/4"	Ship Wt: .75 lb.
No. BW251	Heavy-duty 4-in1, drop-forged, insulating handle, reversing ratchet, 5/8" and 1/2" - 9/16" and 3/4"	Ship Wt: .75 lb.
No. BW288	Heavy-duty, head 1: drop-forged 5/16" hex (Allen) with 2" working length, head 2: ratchet penta socket with built-in 3/8" hex socket for "twiat off" lock, insulating handle	Ship Wt: 1.10 lb.
No. R9074	Penta socket with 3/8" drive, deep well	Ship Wt: .5 lb.

*Not shown



ADJUSTABLE WRENCHES

- Klein's heavy duty wrenches are made of steel alloy.
- They feature an extra capacity design.
- Have plastic dipped handles.

No. D507-8	8" length and 1 1/8" capacity	Ship Wt: 1 lb.
No. D507-10	10" length and 1 5/16" capacity	Ship Wt: 1 lb.
No. D507-12	12" length and 1 1/2" capacity	Ship Wt: 1.5 lb.




LOWELL LINEMEN'S WRENCH

- Features a bolt thru socket.
- Has a three way combination socket for bolt head sizes 3/4", 1", and 1 1/8".

No. 50-10	12" cast handle with socket	Ship Wt: 2.5 lb.
No. 150-12	12" stamped steel with socket	Ship Wt: 2.5 lb.

Bashlin sells the complete line of Lowell products.
Call or write for information.



1986



The WM Bashlin Company becomes
Bashlin Industries Inc.

1986



For CCA treated poles, Bashlin offers "Polished"
gaffs-effective on both CCA and Creosote
treated poles.

HAND TOOLS



D213-9NE



D2000-9NE



D2000-9NETH



420G



430G



BSK25



BSK30



BSK50



1570-3



1550-4



44005

LINEMEN'S PLIERS

- These rugged tools are made in the U.S.A.
- Designed for professional use.
- They have plastic dipped handles.

No. D213-9NE Klein's most popular (9")

Ship Wt: 1.25 lb.

No. D2000-9NE Klein hardened jaws (9")

Ship Wt: 1.25 lb.

No. D2000-9NETH Klein with 5/8" thread cleaners

Ship Wt: 1.25 lb.

ADJUSTABLE PLIERS

- This is the original Channellock plier.
- It is still made in the exacting standards that earned it a quality reputation.

No. 420G 9 1/2" with plastic handles

Ship Wt: 1 lb.

No. 430G 10" with plastic handles

Ship Wt: 1 lb.

LINEMEN'S SKINNING KNIVES

- Bashlin stocks and sells a variety of skinning knives for professional line workers.
- They feature plastic handles, snap shackles, and a range of heat treated blades.
- They have a ring for hanging on a tool belt or tool board.

No. BSK25 Curved point, 9 1/4" OAL

Ship Wt: .5 lb.

No. BSK30 Curved point, 10" OAL

Ship Wt: .5 lb.

No. BSK50 Curved point, for shotgun stick, 10" OAL

Ship Wt: .5 lb.

No. 1570-3 Curved point, 10" OAL

Ship Wt: .4 lb.

KLEIN FOLDING LINEMEN'S KNIFE


- Feature 3" hardened locking blades.

No. 1550-4 Coated handle with ring

Ship Wt: 1 lb.

No. 44005 Lightweight knife, 3" blade

Ship Wt: .5 lb.



1950

Alcoa Promo on
the new Bashlin
BD14 Climber

1987



A new climber manufacturing and storage facility is completed on the East Pine Street property.

1988



Bashlin weight lifting belts are worn by WWE wrestlers including Hulk Hogan and the Macho Man.

HAND TOOLS

HAMMERS

- Often used and mostly abused.
- Our hammers are made in the USA.


No. B816	Claw hammer	Ship Wt: 1 lb.
No. B6232	Line hammer	Ship Wt: 2 lb.
No. B832	Linemen's claw hammer	Ship Wt: 2.5 lb.
No. B809	Linemen's double face hammer	Ship Wt: 2.5 lb.



SCREWDRIVERS

- We offer Klein screwdrivers.
- Features a square shank, keystone tip, and a cushion grip.

No. 600-4	8 11/32" OAL, 1/4" tip width and 4" shank	Ship Wt: .4 lb.
No. 600-6	10 15/16" OAL, 5/16" tip width and 6" shank	Ship Wt: .5 lb.
No. 600-8	13 7/16" OAL, 3/8" tip width and 8" shank	Ship Wt: .6 lb.
No. 600-12	17 7/16" OAL, 1/2" tip width and 12" shank	Ship Wt: 1 lb.



STAPLE STICKS

- Makes driving staples safer and more efficient.
- Simply load 12 staples ahead of time and hammer them through when needed.
- There is no fumbling, and the risk of a glove puncture is minimized.
- There are two sizes available.

No. BSS2000	Staple stick for 3/4" staples	Ship Wt: .5 lb.
No. BSS2001	Staple stick for 1" staples	Ship Wt: .5 lb.



BSS2000


FOLDING RULES

- We offer Klein folding rules.
- Features either a inside read or outside read.

No. 910-6	6' inside read, fiberglass	Ship Wt: .4 lb.
No. 911-6	6' outside read, fiberglass	Ship Wt: .4 lb.



910-6



911-6

1989



Manufacturing expands into winch line and adjustable rope sling fabrication.

1993



Changes in the leather tanning process force the elimination of all leather climber straps.

956 - Driver's
Gloves148/150
Buckskin120
Cowhide390
Buckskin400
Buckskin

KUNZ WORK GLOVES

- Bashlin stocks Kunz all leather work gloves.
- These durable, quality gloves have been made in Chicago for over 100 years.

DRIVER'S GLOVE

- Developed as a quality domestic alternative to the imported gloves used in light work.
- Even with a higher cost the wear qualities of the glove make them more economical.
- They are available in cowhide or buckskin.
- We encourage side by side comparison.
- Made in the USA.

No. 956 Cowhide driver's work glove

Ship Wt: .5 lb.

No. 956E Buckskin driver's work glove

Ship Wt: .5 lb.

HEAVY DUTY WORK GLOVES

- These work gloves feature reinforced thumb straps.
- They also have outside seams and tip protectors.
- Available in cowhide or buckskin.
- Made in the USA.

No. 148 Medium buckskin

Ship Wt: 1 lb.

No. 150 Heavy buckskin

Ship Wt: 1 lb.

No. 120 Heavy cowhide

Ship Wt: 1 lb.

FOREMEN'S GLOVE

- Medium duty buckskin foremen's gloves for lighter applications.
- They feature "davy" tips for seam protection on the fingers.
- Available with or without a gauntlet.
- Made in the USA.

No. 390 Foreman's glove

Ship Wt: .6 lb.

No. 400 Foremen's glove with a gauntlet

Ship Wt: .7 lb.



1957

FOR FUN & SAFETY!

When parents were ordering the Toy Cowboy Holster from Bashlin, they could also order the Toy Linemen's Belt and Strolling Harness!

1995



In response to OSHA regulations, single locking snaphooks and waist belts for use in aerial lifts are discontinued.

1998



The 683X Body Harness-still Bashlin's most popular design is introduced.

KUNZ RUBBER GLOVE PROTECTORS

HIGH VOLTAGE LEATHER PROTECTOR

- This is the best protector glove that is available.
- Available in cowhide or goatskin.
- Features either a 3" cuff with a 12" OAL or a 5" cuff with a 14" OAL.
- There must be 1" of exposed rubber glove for every 10kV.
- Sized according to the rubber gloves.

No. 1050-3	Cowhide with 3" cuff and 12" OAL	Ship Wt: .6 lb.
No. 1050-5	Cowhide with 5" cuff and 14" OAL	Ship Wt: .7 lb.
No. 1200-3	Goatskin with 3" cuff and 12" OAL	Ship Wt: .6 lb.
No. 1200-5	Goatskin with 5" cuff and 12" OAL	Ship Wt: .7 lb.

1050



999

LOW VOLTAGE LEATHER PROTECTOR

- Constructed from goatskin and has a 10" OAL.
- Features an elastic band and is available with or without a strap.
- Sized according to the rubber gloves.

No. 999	Goatskin protector	Ship Wt: .4 lb.
No. 999S	Goatskin protector with a strap	Ship Wt: .4 lb.

EDWARDS GLOVES

DRIVER'S GLOVE

- These gloves provide good value for the dollar.
- Constructed from cowhide.
- Available in sizes Medium, Large, and X-Large.
- Sold in a dozen pairs.

No. 602A	Leather driver's glove	Ship Wt: 3.5 lb.
No. 602AT	Insulated driver's glove	Ship Wt: 3.7 lb.
No. 500K	Canvas backed driver's glove	Ship Wt: 3.4 lb.



602A

602AT

500K

HIGH VOLTAGE LEATHER PROTECTOR

- Cream cowhide with an orange cuff.

No. B813	Cowhide with 3" cuff and 12" OAL	Ship Wt: .5 lb.
-----------------	----------------------------------	-----------------

B813





11BP-0



11BPD-B



11DCS



12S



DL11DC-R

BACK PACKS/TOOL BAGS

BACK PACKS

- Bashlin's back packs are roomy and durable.
- They are also available in black and yellow.

No. 11BP-0 Back pack with pocket 16"x9"x19"H Ship Wt: 5 lb.
No. 11BPD-B Back pack/Duffel 26"Cx50"H Ship Wt: 5.6 lb.

11DC SERIES

- Constructed from durable waterproof coated polyester.
- Has a plastic bottom and leather reinforced nylon handles.
- Features a flap to cover the opening when exposed to weather.
- The "S" model features a nylon web shoulder strap.

No. 11DC 24"x19"x11" Ship Wt: 8 lb.
No. 11DCS 24"x19"x11" with shoulder strap Ship Wt: 8 lb.

12S SERIES

- Constructed from heavy duty cotton duck.
- The nylon web handles are leather reinforced for easier carrying.
- The outside pocket is for rubber gloves, while the inside pocket is for climbers.
- The "S" model features a nylon web shoulder strap.

No. 12SS Cotton duck with shoulder strap (22"x13"x11") Ship Wt: 9 lb.
No. 12SC Coated polyester (22"x13"x11") Ship Wt: 8 lb.
No. 12SCS Coated polyester w/ shoulder strap (22"x13"x11") Ship Wt: 9 lb.

BAG ON WHEELS

- It is called a "Drag Bag"-and that is exactly what you can do with this Bashlin bag.
- Nylon coated tool bag with dual outside pockets, and rain flap.
- Features an undercarriage with wheels and a retractable handle.

No. DL11DC-R 24"x19"x11" Ship Wt: 10 lb.



1954

WHEN MEN THINK ON THE JOB...

Advertisement for Bashlin's full line of products.

2002



Bashlin's rope fabrication business is expanded with the acquisition of George Enterprises and the support of Yale Cordage.

2003



The 145 Series climber pads make standing on a pair of climbers much more comfortable.

RODEO PRODUCTS

POLE TOP RESCUE STRAP

- Truly simulates cutting a victim down from a pole without destroying equipment.
- Two short snap/metal reinforced buckle sections, one double buckle section, and two 57A inserts.

No. 57N Pole Top Rescue Ship Wt: 6 lbs.



POLE TOP RESCUE INSERTS

- Replacement insert for the 57N.
- One insert is 12" long with four holes, it can be cut up to three times.
- Bulk rolls of 50' are available with pre-punched holes, add "50" to part number.

No. 57A 12" OAL Ship Wt: .5 lbs.
No. 57A-50 50' OAL Ship Wt: 8.4 lbs.



RODEO DITTY BAG

- Designed for carrying the egg in the speed climb.
- Could also be used for holding pens/pencils in your truck or on your desk.
- Features pockets all around the outside.
- Bag has a 4" diameter and is 8" high.

No. 650RDB 4" Diameter and 8" High Ship Wt: .2 lbs.



POLYDACRON ROPE

- Perfect for the rodeo rope splice.
- Also works great for slack blocks and handlines.
- Available by the foot or on a 600' reel

No. PD100-38 3/8" Polydacron 12" OAL per foot Ship Wt: 1 lb.
No. PD100-38-600 3/8" Polydacron 600' OAL per foot Ship Wt: 19 lbs.
No. PD100-50 1/2" Polydacron 12" OAL per foot Ship Wt: 1 lb.
No. PD100-50-600 1/2" Polydacron 600' OAL per foot Ship Wt: 42 lbs.




MANNEQUIN WAIST BELT

NOT A SAFETY BELT

- It is a nylon and leather belt with D-rings.
- This is not a safety belt

No. 632RR For "Rescue Randy" Ship Wt: 2.2 lbs.





831



25AM2BX



100X



962NWTs

THE LINEMEN'S AND CABLEMEN'S HANDBOOK

- Primary source for linemen for many years.
- Provides information on everything from size of wire, to how to "Pike" a pole.
- Current edition is stocked.

No. 831

Linemen's Handbook

Ship Wt: 3.25 lbs.

INFORMATION BOOKLETS

- Contains essential information regarding Bashlin products.
- Correct sizing, inspection, and care/maintenance of the products.
- These FREE booklets are available for the asking and included in all new Bashlin products.

No. BLCL-514

Climbers and Accessories

Ship Wt: .1 lb.

No. BLBH-514

Linemen's Equipment

Ship Wt: .1 lb.

No. PFPE-405

Fall Restraint Equipment

Ship Wt: .1 lb.

BALLISTIC NYLON BUG BAGS

- Ballistic nylon is light, very durable, and "wears like iron".
- Bashlin is now offering bug bags made from this high strength material in the following styles.

No. 25AM2BX

(with magnet) 8 1/2" x 9" x 4"

Ship Wt: 1.3 lbs.

No. 25ABX

8 1/2" x 9 x 4" (Not shown)

Ship Wt: .6 lbs.

PAD FOR HARNESES

- Bashlin's new and improved X pad can be installed on any harness.
- Made from Arc-Flash rated, moisture wicking material, it increases comfort, and simplifies donning by keeping the web from tangling.

No. 100XP

X-Pad

Ship Wt: .3 lbs.

LOW STRETCH TRANSFORMER SLING

- The 962NWTs transformer sling is especially useful when clearance is an issue.
- Made 1 3/4" nylon web, it had large rings for attachment and lifting.
- The maximum load rating is 1000 lb.

No. 962NWTs

Transformer Sling

Ship Wt: 1 lb.

2010



Adjustable rope lanyards 4016/4019 begin to replace the standard Pole Strap for linemen everywhere.

2015



Free Climbing is no more... Bashlin offers the Patriot based still on the concept of "Safety-Quality-Comfort" for the working lineman.

EQUIPMENT INSPECTION



Bashlin's Climbing Equipment is to be inspected before each use. If in the course of your inspection, any of your tools are found to be defective, it must be removed from service immediately. Follow your company procedures for replacement. If there are any questions, please contact us. Properly maintaining your equipment is an investment in your well being.

HOW TO INSPECT YOUR CLIMBERS, BELT AND POLE STRAP OR SECONDARY LANYARD

Here are the components of your equipment that need to be carefully inspected. Remove any product from service that has any of the following condition.

TOOL BELTS (ESTIMATED SERVICE LIFE 5-8 YEARS)

- (A) Hardware-Electrical burns, cracks, deformation, loose attachment points.
- (B) Sewing-Loose, cut, broken or frayed stitches.
- (C) Leather or Nylon material-abrasion, fraying, cracking, cuts or chemical deterioration.
- (D) Rivets-Loose or bent rivets.
- (E) Tool Loops-Holster-Bug Bags-Elongated loops, loose attachments, cut straps, worn bag bottoms.
- (F) Belt Tongue-Broken stitches, elongated holes, worn or abraded material.




POLE STRAPS/SECONDARY LANYARDS


(ESTIMATED SERVICE LIFE 1-4 YEARS)

- (A) Hardware-Electrical burns, cracks, bends, deformation, loose attachment, improper latch movement and gate spring tension, sticking adjuster cams or carabiner gates, loose set screws.
- (B) Nylon, Leather or Rope-Abrasion that exposes red wear indicator, cuts, fraying, broken stitches, chemical damage.

CLIMBERS (ESTIMATED SERVICE LIFE IS 2ND SET OF GAFFS)

- (A) Straps and Pads-Cuts, extreme abrasion, elongate holes, loose attachment points, chemical damage.
- (B) Shank-Electrical burns, cracks, deformation, worn stirrup (thinning), improper slide adjustment. Careful inspection is required to the "critical" portion of the climber shank, 4-8" above the gaff attachment point. Scratches and cuts in this section may cause stress risers, accelerate wear and allow the shank to part prematurely.
- (C) Gaffs-Loose attachment, electrical burns, and incorrect shape. See Bashlin Information booklet BLCL514 for gaff shaping information, or go to www.bashlin.com and see the gaff shaping video.





BASHLIN
INDUSTRIES INC

UP / DOWN / ALL-AROUND INNOVATION

119 West Pine Street
P.O. Box 867
Grove City, PA 16127
Phone: 724.458.8340
Fax: 724.458.8342
bashlin@bashlin.com