


BASHLIN HARNESSES are available in the X or H design. The X (683) models are sized. The H (662) are one size fits most.

Bashlin Harnesses and Lanyards are ASTM Arc Flash rated and third party tested.





SIZING CHART

Sizing of Bashlin harnesses is based on the individuals height and chest size.

H STYLE HARNESSES-662R AND 662A

Size		Height	Chest
0	One Size Fits Most	5' 4" - 6' 3"	48 in.
Χ	X-Large	6' 3" - 6" 6"	54 in.
2X	XX-Large	6' 6" - 6' 10"	60 in.

X-STYLE 683 H-STYLE 662V

Size		Height	Chest
S	Small	5' 4" - 5' 7"	36 in.
M	Medium	5' 8" - 5' 11"	40 in.
L	Large	6' 0" - 6' 3"	44 in.
Χ	X-Large	6' 3" - 6' 6"	48 in.
2XL	XX-Large	6' 6" +	52 in.
ЗXL	XXX-Large	6' 6" +	56 in.

HARNESS OPTIONS:



BASHLIN'S NON-CONDUCTIVE BUCKLES, ADJUSTORS AND SNAPHOOKS ARE RATED AT 9KV.



AERIAL LIFT AND GENERAL USE HARNESSES:



683XC

SHIP WT.: 3.75 lbs.

- 24" D-Extension
- Pass Thru Buckles



Q683XC

SHIP WT.: 3.75 lbs.

- Quick Release Buckle
- 24" D Extension



DEQ683XA

SHIP WT.: 3.5 lbs.

- Non-Conductive Buckles
- "A" Loop Back Attachment



662RD

SHIP WT.: 4.0 lbs.

- Pass Thru Buckles
- One Size Fits Most



DEQ662A

SHIP WT.: 3.5 lbs.

- Non-Conductive Buckles
- "A" Loop



662VA

SHIP WT.: 3.5 lbs.

- Hook-N-Loop Chest Closure
- Sized

CLIMBING, SUBSTATION, AND TOWER HARNESSESS:



Q683XAXP

SHIP WT.: 7.5 lbs.

- Size by Harness and D Size
- X-Pad for Comfort



Q683XCP

SHIP WT.: 7.0 lbs.

- 24" D-Extension
- Quick Release Buckles



FE683XTWR

SHIP WT.: 11.0 lbs.

- Extra Support and Comfort EZ-Rider Belt
- D-Ring Back Attachment

ALL BASHLIN'S CLIMBING HARNESSES ARE SIZED USING THE HARNESS AND THE D MEASUREMENT.

LANYARDS FOR AERIAL LIFT/FALL PROTECTION:



2004NWB-6HL

SHIP WT.: 2.5 lbs.

- Steel Snaphooks
- B-LAN Shock Absorber



2005WWB-6DE

SHIP WT.: 1.75 lbs.

- Non-Conductive Snaphooks
- B-LAN Shock Absorber



2805-6HL

SHIP WT.: 2.0 lbs.

- Nylon Loop and Snaphook
- Integral Shock Absorber



2304-6NL

SHIP WT.: 2.5 lbs.

- Stretch Lanyard 4-6 Feet
- Integral Shock Absorber



2804-6HL

SHIP WT.: 2.5 lbs.

 Integral Shock Absorber



2006NWB-6HL

SHIP WT.: 2.5 lbs.

- · Adjustable Length
- B-LAN Shock Absorber

BASHLIN'S LANYARDS MEET ASTM F887 ARC-FLASH REQUIREMENTS AND ARE 3RD PARTY CERTIFIED

2-LEG LANYARDS FOR CLIMBING TOWERS:



2028-6AL

SHIP WT.: 5.0 lbs.

- B-LAN Shock
 Absorber
- Aluminum Snaphooks



2027-6HL

SHIP WT.: 5.0 lbs.

- B-LAN Shock Absorber
- Steel Snaphooks



2327-6HL

SHIP WT.: 5.0 lbs.

- Steel Snaphooks with Choker Hitch
- Integral Shock Absorber
- Stretch Length 4-6 ft.



2827-6AL

SHIP WT.: 4.5 lbs.

- Aluminum Snaphooks
- Choker Hitch to the Harness



2328-6HL

SHIP WT.: 5.5 lbs.

- Stretch Lanyard with Integral Shock Absorber
- 6 ft. Maximum Length



2328-6AL

SHIP WT.: 5.0 lbs.

- Lightweight Aluminum Hardware
- Stretch Length 4-6 ft.

LIGHTWEIGHT CLIMBING EQUIPMENT

Featuring Bashlin's standard quality and designs, these products have lightweight Aluminum D-Rings and Snap Hooks that reduce the overall weight as much as 1 full pound on a 4 D-ring tool belt.



88X4DMP-DxxA

SHIP WT.: 4.5 lbs.

- In-Line D-Rings
- Nylon Mesh Cushion





Q88GX4DMP-DxxA

SHIP WT.: 5.5 lbs.

- Quick Release Buckle
- Nylon Mesh Cushion



4019NXBC-8AL

SHIP WT.: 1.7 lbs.

 Ballistic Nylon Wear Cover

BM SERIES LINE BELTS

Modeled after Bashlin's Rest-A-Back and Hip Grip, this proven design offers excellent support. Made with Glove Soft Garment Leather Cushion, Moisture Wicking Nylon Cushion, or a rugged single piece of leather. Size by D-size.



Q88BMX4DMPSHIP WT.: 7.0 lbs.
• Nylon Cushion



Q88BMX4DCC

SHIP WT.: 7.0 lbs.

 Garment Leather Cushion



Q88BMX4D

SHIP WT.: 7.0 lbs.

 Single Leather Cushion

CLIMBER HEEL COVERS

Bashlin's new heel covers help protect the lower leg and are made for climbers in training. The 2-ply coated webbing is comfortable, durable, and stronger than the thin plastic covers. They will fit all manufacturer's climber shanks. One size fits most.



BHP - BASHLIN HEEL COVER SHIP WT.: 0.5 lbs.





TOOLS FOR LINE WORK

HEAVY DUTY HANDLINES

Bashlin's new handlines feature 500 and 1000lb working loads respectively. 1/2" Yale Poly-Plus braid is standard for all the 940 series handlines
The HD5 has a 500 lb. working load, bronze hook and steel forged carabiner.
HD10 features a 1000 lb. working load, with aluminum handline hook and snap.



940HD5

SHIP WT.: 9.0 lbs.
• 500 lb. Working Load – 75 ft.



940HD10

SHIP WT.: 9.0 lbs.
• 1000 lb. Working Load – 75 ft.

GRIP POLE SLINGS

Bashlin's Grip Pole Slings have rubber belting sewn onto the fabric to reduce slippage. These 1 $\frac{3}{4}$ " nylon slings are available with (2011) or without (2012) a 5000 lb test O-Ring. The 4" soft eyes have ballistic nylon wear sleeves.





2011SE-72G

SHIP WT.: 4.5 lbs.

- Grip Sling with D-Ring
- Working Load: V-2500 lb.
 C-2500 lb.
 B-5000 lb.

2012-72G

SHIP WT.: 4.0 lbs.

- Eye and Eye Grip Sling
- Working Load: V-3300 lb.
 C-2640 lb.
 B-6600 lb.

LIF-T

The Lif-T solves the problem of inadequate lift points on pad mount transformers and switch-gear. 5/8" grade 8 construction with handle.

Orange corrosion resistant powder coating.



903LT

SHIP WT.: 0.5 lbs.

- Lifting T (Pair)
- SWL 1000 lbs.

BACK-PACK AND DUFFLES

Bashlin's Equipment Duffles and Back Packs are made from durable coated fabric, and come in a variety of colors including yellow, orange, black and new this year camo.

This duffle is huge (26x50) and can be carried on the back or at the side. Both the Back Pak and Duffle fit nicely into the storage bins on the truck





11BPD-C SHIP WT.: 5.6 lbs.





As a result of independent testing the Patriot has been classified as "Ergonomist Approved".

It's 3.5 lb. weight is less than the 4lb. weight threshold determined by ergonomist studies to cause damaging repetitive motion strains.

The Patriot reduces stress on the arms and shoulders and potential repetitive strain injuries caused by climbing with other Fall Restraint Devices.

76PAT

SHIP WT.: 3.5 lbs.

76PAT-ORC POLE ROPE REPLACEMENT KIT

SHIP WT.: 1.0 lbs.

• Includes Replacement Pole Rope with end Termination and Rope Clamp

76PAT-OR POLE ROPE REPLACEMENT ONLY

SHIP WT.: 0.75 lbs.

• Includes Replacement Rope with end Termination.



119 West Pine Street P.O. Box 867 Grove City, PA 16127 Phone: 724.458.8340 Fax: 724.458.8342 bashlin@bashlin.com